



Technical Document

GSM PROTOCOL STACK

G23

XM – GUI-FRONTEND FOR GPF M.BAT

DEVELOPERS DESCRIPTION

Document Number:	06-03-55-SLL-003
Version:	0.3
Status:	Draft
Approval Authority:	
Creation Date:	2001-Feb-23
Last changed:	2015-Mar-08 by Ronny Kiessling
File Name:	Xm_description.doc

Important Notice

Texas Instruments Incorporated and/or its subsidiaries (TI) reserve the right to make corrections, modifications, enhancements, improvements, and other changes to its products, software and services at any time and to discontinue any product, software or service without notice. Customers should obtain the latest relevant information during product design and before placing orders and should verify that such information is current and complete.

All products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment. TI warrants performance of its hardware products to the specifications applicable at the time of sale in accordance with TI's standard warranty. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by government requirements, testing of all parameters of each product is not necessarily performed.

TI assumes no liability for applications assistance or customer product design. Customers are responsible for their products and applications using TI products, software and/or services. To minimize the risks associated with customer products and applications, customers should provide adequate design, testing and operating safeguards.

Any access to and/or use of TI software described in this document is subject to Customers entering into formal license agreements and payment of associated license fees. TI software may solely be used and/or copied subject to and strictly in accordance with all the terms of such license agreements.

Customer acknowledges and agrees that TI products and/or software may be based on or implement industry recognized standards and that certain third parties may claim intellectual property rights therein. The supply of products and/or the licensing of software does not convey a license from TI to any third party intellectual property rights and TI expressly disclaims liability for infringement of third party intellectual property rights.

TI does not warrant or represent that any license, either express or implied, is granted under any TI patent right, copyright, mask work right, or other TI intellectual property right relating to any combination, machine, or process in which TI products, software or services are used.

Information published by TI regarding third-party products, software or services does not constitute a license from TI to use such products, software or services or a warranty, endorsement thereof or statement regarding their availability. Use of such information, products, software or services may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

No part of this document may be reproduced or transmitted in any form or by any means, electronically or mechanically, including photocopying and recording, for any purpose without the express written permission of TI.

Table of Contents

0	Document Control	4
0.1	Change History	4
0.2	List of Figures and Tables	4
0.3	List of References	4
0.4	Abbreviations	4
1	Introduction	5
2	Solution	5
2.1	Environment	5
2.2	Implementation	5
3	Known problems and future tasks	6
3.1	Known bugs	6
3.2	„Soon implemented“	6
3.3	„Nice to have “	6

0 Document Control

0.1 Change History

Date	Changed by	Approved by	Version	Status	Notes
2001-Feb-23	RK		0.1		1
2003-May-21	XINTEGRA		0.2	Draft	
2003-Aug-18	RK		0.3	Draft	2

Notes:

1. Initial version
2. New Document Id introduced

0.2 List of Figures and Tables

0.3 List of References

[ISO 9000:2000]	International Organization for Standardization. Quality management systems - Fundamentals and vocabulary. December 2000
[MOAN]	06-03-53-UDO, MoanBtn – Instant GUI-problem Informer (mbtn_userguide.doc)
[XPAN]	06-03-36-UDO, xPanel – MMI Test Application (PC) (xpan_userguide.doc)
[XM_UG]	06-03-55-UDO, XM –GUI-frontend for GPF m.bat (xm_userguide.doc)
[PCO2]	06-03-35-UDO, PCO2 – Tracing Environment (pco_userguide.doc)

0.4 Abbreviations

GPF Generic Protocol stack Framework

1 Introduction

G23 is a software package implementing Layers 2 and 3 of the ETSI-defined GSM air interface signaling protocol, and as such represents the part of a GSM mobile station's protocol software which is both, platform and manufacturer independent. Therefore, G23 can be viewed as a building block providing standardized functionality through generic interfaces for easy integration.

The G23 suite of products consists of the following items:

- Layers 2 and 3 for speech & short message services,
- Layers 2 and 3 for fax & data services,
- Application Control Interface/AT Command Interface,
- MMI and MMI Framework (MFW) and
- Test and integration support tools.

"Xm" is a GUI-Frontend for the GPF-"m.bat" (in ClearCase: \GPF\BIN\m.bat). This batch file can be used to run several makefiles of the GPF components, like FRAME, CCD, X PANEL a.s.o. Xm provides a GUI-interface (based on Tcl/Tk) to make the usage more easy and intuitive.

XM does include moan button support (see [MOAN]), if you got the moanbtn.dll with the package (internal CONDAT workers with ClearCase automatically get it).

This documentation is dedicated to interested developers. For user/customer specific documentation see [XM_UG].

2 Solution

Xm is fully implemented in Tcl/Tk.

2.1 Environment

To use xm some environmental constraints have to be taken into account.

For use under Windows:

At first you'll have to make sure that several DLL-files are available to the system. In the Condat development directory structure you can find them in „<View>/GPF/tools/bin“ :

- tk83.dll, tcl83.dll

So just make sure „<View>/GPF/ tools/Bin“ is in your PATH-variable.

Furthermore the Tcl-interpreter expects some files in subdirectories of a lib-folder relative to the start-directory -> “../lib”. At Condat all the necessary files can be found in “<View>/GPF/tools/Lib“ :

- tk8.3-directory
- tcl8.3-directory

2.2 Implementation

If you start “\GPF\BIN\m.bat” from command line you'll get all suitable parameters. Xm hides these behind a GUI-interface with checkboxes, radio controls ...

All source files can be found in “\GPF\util\xm”.

In “xm.tcl” the whole GUI-interface and the functionality to call “m.bat” with the right parameters is implemented using TCL/Tk. “Xm.cpp” is just a wrapper to make moanbtn-support possible and “xm.bat” makes sure that “\GPF\tools\bin” is in the path (see 2.1) - for usage directly from M Explorer. “proc run {}” is the central procedure in “xm.cpp” - it finally calls “m.bat”.

For building you can either use gnumake with the makefile or the MS-DevStudio project files in subdirectory "MSDev".

Suitable parameters for the makefile are (listed by "gnumake help"):

- without any parameter (or exe) ... make release version xm.exe and copy (export) "xm.exe", "xm.bat" and "xm.tcl" to "\GPF\BIN"
- DEBUG=1 ... make debug version of "xm.exe" and copy (export) al files to "\GPF\BIN\debug"
- EXPORT=0 ... don't copy (export) to "\GPF\bin" ("\GPF\BIN\debug")
- clean ... clean release objects of "xm.exe" (with DEBUG=1 clean debug versions)
- checkin ... check in all project files into ClearCase-VOB (with CICMT=<checkin comment> you can specify a checkin comment, "auto checkin" will be used otherwise)

3 Known problems and future tasks

This paragraph is meant to show which bugs are already found (but not removed yet) and to provide an impression of future plans concerning this product.

3.1 Known bugs

- The project drive will not be saved

3.2 „Soon implemented“

- more compact layout

3.3 „Nice to have “

-

Appendices

A. Acronyms

DS-WCDMA Direct Sequence/Spread Wideband Code Division Multiple Access

B. Glossary

International Mobile Telecommunication 2000 (IMT-2000/ITU-2000) Formerly referred to as FPLMTS (Future Public Land-Mobile Telephone System), this is the ITU's specification/family of standards for 3G. This initiative provides a global infrastructure through both satellite and terrestrial systems, for fixed and mobile phone users. The family of standards is a framework comprising a mix/blend of systems providing global roaming. <URL: <http://www.imt-2000.org/>>