


xxxx

XPanel – History

Confidential
Internal Document

Project Info	
Manager:	FR
Resources:	FR, RK
Start:	05.04.2000
End:	

Version tree	2
History texts	4

Version tree



XPAN_1.8.0
|
XPAN_1.8.1
|
XPAN_1.8.2
|
XPAN_1.8.3
|
XPAN_1.8.4
|
XPAN_1.8.5
|
XPAN_1.8.6
|
XPAN_1.8.7
|
C_XPAN_1.8.8_IF_GPF_1.18.7
|

History texts

26.04.2000
– first piping try between Tcl/Tk and C
– timer function implemented
04.05.2000
– button layout and main tcl-file separated
– start of adaption of old panel to new frame -> running version, but access violations due to problems with new frame-DLLs
11.05.2000
– temporary Winmain function for xPanel implemented
– initial Tcl-Layout-Template created
– further editing of project sheet
– problems with frame-DLLs solved in new version from MP, new problem with
– PPM-Import/Export sources downloaded and analysed -> adaption necessary
12.05.2000
– further editing of project sheet -> first version send to FR
– start analysis of display-driver-interface
– email to ES concerning display-driver-communication introduction
18.05.2000
– further editing of project sheet -> overview picture
– further analysis of display-driver-interface
– Tcl-Layout-Template improved
– basic communication between Tcl-frontend and C-Entity established
25.05.2000
– project sheet: divided into „xpan_prjSheet.doc“ and new „xpan.doc“
– project sheet: recalculation, full translation -> send to FR
– PPM-save function adapted, tested and start of integration
– new test interface communication tested -> problem with message string creation
– discussion with ES -> display data handling in „Gameboy“ only an auxiliary construction
26.05.2000
– xPanel->stack communication debugging with MP



31.05.2000
- ClearCase introduction
- test with graphical display messages from display driver
08.06.2000
- TK-Frontend: Menu, At-Command-File input
- Start spezifikation of display-driver interface
- first version of xPanel-component-graph (in xpan.doc) ready -> send to FR
09.06.2000
- further documentation and debugging
15.06.2000
- Documentation: graphik of xPanel-Displaydriver communication
- xPanel-Frame debugging, test version of frame
- graphic display routine now usable
16.06.2000
- Frame-Debugging ... Hack around queue-timing-problem
22.06.2000
- Frame-Debugging
- further ClearCase-Integration
- makefile
- AT-Command-Input
- Tcl/TK-Basic-Scripts copied into GPF\LIB
26.06.2000
- Primitive-Command-Input in TCL/TK-Client implemented and tested
- further editing of documentation
29.06.2000
- documentation
- clearcase
03.07.2000
- Frame-Debugging -> new Semaphore and counter in tif
06.07.2000
- Frame-xPanel-Debugging -> xPanel communicates now directly with TIF .. no more
-

xxxx

XPanel – History

Confidential
Internal Document

07.07.2000
– Zoom for display implemented
– correction of graphical output
10.07.2000
– KEY constants in Tcl-Template
– further correction of graphical output
– further makefile implementation (now with clearcase checkin rule)
– further clearcase integration
13.07.2000
– further clearcase integration
– further removal of win32 dependencies
17.07.2000
– first version of readme_xpan.txt
– test with sendo-stack
18.07.2000
– test with sendo-stack
– now start path is irrelevant
– init.pri will be executed at initialisation
– layout for SENDO started
19.07.2000
– layout now choosable from commandline
–
21.07.2000
– first xpan.bat version
– direkt dependency to tif_wn[_db]_sim.lib/dll
24.07.2000
– further clearcase integration -> XPAN_1.0_TEST version
–
26.07.2000
– zooming now affects instantly
–
27.07.2000
– layouts can be loaded while program runs
– MMI_DISPLAY_REQ now with bits per pixel parameter



31.07.2000 - version 1.0 beta
- xPanel accepts now ini files
- some changes in command line parameters
- usage of tif_wn_[db_]su.lib/dll instead of tif_wn_[db_]sim.lib/dll -> first version with
- further editing xpan.doc and xpan-userguide.doc
- further clearcase integration
07.08.2000
- compiling now without warnings
- frontend send „CONFIG EXIT“ to panel-main-thread -> PFREE with points-array now
- xpan_util.c added
09.08.2000
- layouts now in dedicated directory
06.09.2000
- special TARGET-layout created
07.09.2000
- cms now minimized and scheduled
11.09.2000
- COM-port now configurable
28.09.2000
- frame-problem with win95 solved -> xpanel should run under win95, too
29.09.2000
- First Test-Release
05.10.2000
- readme_xpan.txt now without tabstops
13.10.2000
- only one version of xpanel.exe now -> configuration of 95/NT/SIM possible
16.10.2000
- mode can be selected at command line (option -m)
- multiple options at command line possible now
23.10.2000
- moanbtn-support added
26.10.2000
- new feature of SER-driver (REAL for automatic check of os) supported now
- send_initprims() added (important for dynamic USART-mode switching)



27.10.2000
- exit-menu entry corrected
- new feature of SER-driver (flow control setup) supported now
30.10.2000
- Tcl/Tk-include files moved to global GPF\INC
- sources moved to subdir „src“
- sleep-support added to pri-files
02.11.2000
- Problem with REAL in ini-file fixed
13.11.2000
- Reset function implemented
- window position now stored in ini-file
20.11.2000
- wordwrap for text display used now
23.11.2000
- first PUBLIC version in clearcase
24.11.2000
- dead lock problem without PCO2 solved (tst_pei.c in tif-lib debugged)
- Userguide improved
27.11.2000
- initsscreen will be shown as long as no real display is available
01.12.2000
- initial comport and usartmode ar now displayed
- display mode is stored in xpan.ini now
07.12.2000
- \n in text display reenabled
11.01.2001
- Userguide improved
29.01.2001
- Adaption to FRAME_2.11
- frist try with SOCKETS-support
02.02.2001
- SOCKET-communication works
- ini-file will be created with more comments now

xxxx

XPanel – History

Confidential
Internal Document

26.02.2001	
– User guide and developer description improved	
27.02.2001	
– xPanel now resistant against os-signals	
– now direct refreshment in xpan.tcl (no more „after ...“)	
15.03.2001	
– makefile improved (targets checkin, label ...)	
16.03.2001	XPAN_1.2.1
– adaption to new frame-dll with tst.exe-starter	
20.04.2001	XPAN_1.2.2
– userguide improved	
– now it will be made sure, that screen.bmp is writable (to display graphiks)	
14.05.2001	XPAN_1.2.3
– userguide improved	
– extra code in main function to recover from crashes (delete cms-prozesses, queues	
– display more stable now – but still problems with Tcl/Tk-stack-crashes	
11.06.2001	XPAN_1.2.4
– default host for socket connection is now left empty, so the tst-socket-driver tries the name of current host	
– batch file adapted to run under win98	
	27.07.2001 XPAN_1.2.5
	– ini-file reading fixed
	– „HUP“-key to default target-layout added
	– default layout now in GPF/BIN
	23.08.2001 XPAN_1.2.6
	– default ini-file concept introduced
	– xpan.bat with options for
10.09.2001	XPAN_1.3.0
– adapted to new FRAME_2.4.x	
28.09.2001	XPAN_1.3.1
– some more default configs	
– make depend fixed	
– included into pco_install.bat procedure	

xxxx

XPanel – History

Confidential
Internal Document

02.11.2001		XPAN_1.3.2
– new display concept -> random crashes removed		
– now only one dialog for communication mode		
30.11.2001		XPAN_1.3.3
– graphical display now with better performance		
09.01.2002		XPAN_1.3.4
– tcl-script more stable		
25.01.2002		
– GUI setting of baudrate and flowctrl now really works		
– First try with raw AT-Commands		
13.02.2002		13.02.2002
– basical addaption new extdspl-interface (graphical display using color palette)		– addapted to new frame header
– graphic display without file exchange		– addapted to new tst config primitives
18.02.2002		18.02.2002 XPAN_1.4.0
– key-down/key-up now in real time		– release
– addapted to external display protocol		
21.02.2002	XPAN_1.3.10	
– „make checkin“ improved, „make lsc“		
– xPanel+ beta release		
		04.03.2002 XPAN_1.4.1
		– STX mode configurable
		– socket port configurable
		– „make checkin“ improved, „make lsc“
08.03.2002		XPAN_1.4.10
– default256.pal addapted		
– display update improved		
– indepence from ...\\cdginc-files		
04.04.2002		XPAN_1.5.0
– addapted to FRAME_2.5.2		
– TARGET_csampl_mfw_lo.tcl and TARGET_csampl_smi_lo.tcl have to be chosen		
11.04.2002		
– „DISPLAY: ...“– trace will be sent each time a mmi_display_req is received		

xxxx

XPanel – History

Confidential
Internal Document

15.04.2002	
- version.h introduced	
- mkver.bat introduced	
16.04.2002	
- chver.bat added	
25.04.2002	
- „-send“ as command line parameter introduced	
- height is now correctly stored	
06.05.2002	XPAN_1.5.1
- layout file information will be stored correctly now	
30.05.2002	
- PCON patch included -> hybrid version	
03.06.2002	
- obj-dirs removed from clearcase	
05.06.2002	XPAN_1.5.5
- raw AT-commands now only on demand (check box in dialog)	
- bin-dirs removed from clearcase -> new auto-creation concept in makefile	
- initial dialog position is at xpanel-window-postion	
27.06.2002	XPAN_1.6.0
- linked with FRAME_2.6.0	
28.06.2002	
- linked with tcl/tk8.4	
05.07.2002	
- clearmake integrated into mall.bat	
08.07.2002	XPAN_1.6.1
- release	
16.08.2002	
- adapted to new pcon.lib	
11.09.2002	
- gpf\cfg directory introduced	
12.09.2002	
- setting of tst communication or not is now configurable	
19.09.2002	XPAN_1.7.0
- new gpf\cfg handling fixed	

xxxx

XPanel – History

Confidential
Internal Document

30.09.2002	XPAN_1.7.1
<ul style="list-style-type: none"> - Userguide updated - adapted to FRAME_2.7.0 	
04.11.2002	
<ul style="list-style-type: none"> - adapted to tcl/tk-update - adapted to frame/misc-naming without “_wn[_db]” 	
12.12.2002	
<ul style="list-style-type: none"> - usage of fixed sh.exe 	
10.01.2003	
<ul style="list-style-type: none"> - storing of dimensions and position fixed - adapted to new release procedure 	
14.01.2003	XPAN_1.8.0
<ul style="list-style-type: none"> - visibility of window is now ensured - adapted to new tst-header 	
13.02.2003	
<ul style="list-style-type: none"> - REDIRECT request will be sent to MMI to get mmi_display_req - text display will be re-requested after pressing keys and not receiving mmi_display_req 	
17.02.2003	XPAN_1.8.1
<ul style="list-style-type: none"> - testtools release 30 	
02.05.2003	
<ul style="list-style-type: none"> - addaption to 4nt-version 5 and gpf_14 	
19.05.2003	XPAN_1.8.2
<ul style="list-style-type: none"> - no more automatic display-requesting at startup 	
05.06.2003	XPAN_1.8.3
<ul style="list-style-type: none"> - adapted to VC6 	
08.07.2003	
<ul style="list-style-type: none"> - current path gathered with function _getcwd() 	
10.07.2003	
<ul style="list-style-type: none"> - press time for command line key sending added 	
14.07.2003	XPAN_1.8.4
<ul style="list-style-type: none"> - VC6 adaptation complete - issue XPAN-FIX-10989 solved 	
18.08.2003	
<ul style="list-style-type: none"> - documentation: merge of new official format 	

xxxx

XPanel – History

Confidential
Internal Document

- merge of new TI-Headers	
05.09.2003	XPAN_1.8.5
- command line parameter “-clean” added -> clean txt display	
- usage of new FRAME function “vsi_c_alloc_send()”	
06.05.2004	XPAN_1.8.6
- mall -test introduced	
16.05.2004	XPAN_1.8.7
- adapted to new dir naming (concerning linux changes)	
13.12.2004	C_XPAN_1.8.8_IF_GPF_1.18.7
- start with TheKeep	
- swa00025155: The tcl84.dll used by xPanel interferes with evtl. installed cygwin tcl-dlls	
- swa00025326: All GPF components should support mall.bat-parameters “-test” and “-	
- swa00025824: preparation of all mall.bat and makefile for automatic testsystem	